Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom of of the page. To view one particular document click the link above the title to display immediately.

order

Documents 1 to 1 of 1 from your search **superconducting ADJ loop AND phase ADJ shift AND qubit**:

1 display full document

2001. (INZZ) Design aspects of **superconducting-phase** quantum bits.

Display Format	Display in	ERA SM Electronic Redistribution & Archiving	Action
Full Free Short Medium Custom Help with Formats	HTML Tagged (for tables)	Copies you will redistribute: Employees who will access archived record(s): Help with ERA	display
	Publication year YYYY / Ascending		sort

order

Top - News & FAQS - Dialog

Document

Select the documents you wish to save or order by clicking the box next to the document, or click the link above the document to order directly.

save locally as: PDF document include search strategy
order

document 1 of 1 Order Document

INSPEC - 1969 to date (INZZ)

Accession number & update
6928207, B2001-06-3240C-018, C2001-06-4270-012; 20010521.

Title
Design aspects of **superconducting-phase** quantum bits.

Author(s)
Blatter-G; Geshkenbein-V-B; Ioffe-L-B.

Author affiliation
Dept of Theor Phys, ETH, Zurich, Switzerland.

Source
Physical-Review-B (Condensed Matter and Materials Physics)(USA), vol.63, no.17, p.174511/1-9, 1 May 2001. , Published: APS through AIP.

Date no good but published 11 April 2001 this is good!

CODEN
PRBMDO.

ISSN
ISSN: 0163-1829, CCCC: 0163-1829/2001/63(17)/174511(9)/ ($20.00).

Availability
SICI: 0163-1829(20010501)63:17L.1:DASP; 1-A
Electronic Journal Document Number: S0163-1829(01)06214-2.

Publication year
2001.

Language
EN.

Publication type
J Journal Paper.

Treatment codes
T Theoretical or Mathematical.

Abstract
A **superconducting-phase** quantum bit **(qubit)** involves three or more Josephson junctions combined into a **superconducting loop** and defines one of the promising solid-state device implementations for quantum computing. Recently, so called pi junctions, Josephson junctions with a ground state characterized by a pi **-phase shift** across, have attracted much attention. We show how to make use of such pi junctions in the construction of **superconducting phase** qubits and discuss the advantage over conventional designs based on magnetically frustrated loops. Starting from a basic five-junction **lo p** with one pi junction, we show how to construct effective junctions with degenerate minima characterized by **phase** shifts 0 and pi and **superconducting-phase** switches. These elements are then combined into a **superconducting- phase qubit** which operates exclusively with switches, thus avoiding permanent contact with the environment through external biasing. The resulting **superconducting-phase** qubits can be understood as the macroscopic analog of the "quiet" s-wave-d-wave-s-wave Josephson-junction qubits introduced by Ioffe et al. Nature (London) 398, 679 (1999)ù. (36 refs).

Descriptors
quantum-computing; superconducting-junction-devices.
Keywords
design aspects; **superconducting phase** quantum bits; **qubit;** Josephson junctions; **superconducting lo p;** quantum computing; pi junctions; ground state; pi **phase shift; superconducting phase** switches; external biasing.
Classification codes
B3240C **(Superconducting** junction devices).
C4270 (Quantum computing theory).
C pyright statement
Copyright 2001, IEE.
Digital object identifier
http://dx.doi.org/10.1103/PhysRevB.63.174511.

save locally as: PDF document include search strategy
order



	Hits	Search Text	DBs	Time Stamp	Type	Comments
1	2267	257/9,31,34,663,200,32,33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 11:42	BRS	
2	23	(superconducting adj loop) and (phase adj shift) and qubit and junction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/28 11:00	BRS	
3	24	(superconducting adj loop) and (phase adj shift) and qubit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/28 14:31	BRS	
4	5	(US-6495854-$).did. or (US-20030098455-$ or US-20030094606-$ or US-20030038285-$ or US-20030027724-$).did.	USPAT; US-PGPUB	2003/09/28 11:40	BRS	
5	5	((US-6495854-$).did. or (US-20030098455-$ or US-20030094606-$ or US-20030038285-$ or US-20030027724-$).did.) and (superconducting adj loop) and (phase adj shift) and qubit	USPAT; US-PGPUB	2003/09/28 12:19	BRS	
6	5	((US-6495854-$).did. or (US-20030098455-$ or US-20030094606-$ or US-20030038285-$ or US-20030027724-$).did.) and (superconducting adj loop) and (phase adj shift) and qubit and junction	USPAT; US-PGPUB	2003/09/28 12:23	BRS	
7	2	((US-6495854-$).did. or (US-20030098455-$ or US-20030094606-$ or US-20030038285-$ or US-20030027724-$).did.) and (superconducting adj loop) and (phase adj shift) and qubit and constriction	USPAT; US-PG			
8	4	(superconducting adj loop) and (phase adj shift) and qubit and (electron adj gas)	USPAT; US-PG EPO; JPO; DERWENT; IBM			
9	3	s-2deg-s	USPAT; US-PG EPO; JPO; DERWENT; IBM			
10	12	s-n-d-n-s or sndns	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/28 12:31	BRS	
11	3	(s-n-d-n-s or sndns) and junction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/28 12:47	BRS	
12	7	(superconducting adj loop) and (phase adj shift) and qubit and ferromagnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/28 12:47	BRS	
13	14	(superconducting adj loop) and (phase adj shift) and qubit and readout	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/28 14:00	BRS	
14	17	(superconducting adj loop) and (phase adj shift) and qubit and single adj electron adj transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/28 14:01	BRS	
15	19	(superconducting adj loop) and (phase adj shift) and qubit and (qubit same coupled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/28 14:13	BRS	

EAST Search 9/28/03